The Journal of Cell Biology

Volume 145, 1999

Published biweekly by
The Rockefeller University Press
Managing Editor
Michael T. Rossner
Editorial Assistants
Sati Motieram, Adaobi Obi,
Leslie Thomas, and Brandy Murphy
Copyediting and Production
Aisha Caruth, Davide R. Dickson,
Erinn A. Grady, and Justine M. Manser

Editor-in-Chief

Ira Mellman

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
W. James Nelson
Louis F. Reichardt
Randy Schekman
Kenneth M. Yamada

Editorial Board

Kathryn Anderson
Richard G.W. Anderson
Vann Bennett
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
Caroline Damsky
Pietro DeCamilli
Elisabetta Dejana
David J. DeRosier
David Drubin
William Earnshaw
Scott Emr
Larry Gerace
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Nobutaka Hirokawa
H. Robert Horvitz
Alan Rick Horwitz
Tony Hunter
Keith Joiner
Eric Karsenti
Hynda Kleinman
Arthur D. Lander
Jeanne Lawrence
Leslie Leinwand
Joan Massague
Jacopo Meldolesi
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
Bjorn Olsen
Leslie Parise
Mu-ming Poo
Martin Raff
Natasha V. Raikhel
Tom A. Rapoport
Howard Riezman
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Trina Schroer
Jean Schwarzbauer
Masatoshi Takeichi
Shoichiro Tsukita
Graham Warren
Marino Zerial

Copyright © 1999 by The Rockefeller University Press

Contents

Volume 145, Number 1, April 5, 1999

In Brief

Building, maintaining, and using the Golgi. Mechanotransduction in cartilage. Linking the kinetochore to the spindle.

W.A. Wells

Regular Articles

1 **Evidence for a relatively random array of human chromosomes on the mitotic ring.**

D.C. Allison and A.L. Nestor

15 **Ctf19p: A novel kinetochore protein in *Saccharomyces cerevisiae* and a potential link between the kinetochore and mitotic spindle.**

K.M. Hyland, J. Kingsbury, D. Koshland, and P. Hieter

29 **A nonerythroid isoform of protein 4.1R interacts with the nuclear mitotic apparatus (NuMA) protein.**

S.N. Mattagajasingh, S.-C. Huang, J.S. Hartenstein, M. Snyder, V.T. Marchesi, and E.J. Benz, Jr.

45 **Phosphorylation-dependent binding of hepatitis B virus core particles to the nuclear pore complex.**

M. Kann, B. Sodeik, A. Vlachou, W.H. Gerlich, and A. Helenius

57 **Early assembly step of a retroviral envelope glycoprotein: Analysis using a dominant negative assay.**

A.R. Rosenberg, L. Delamarre, C. Pique, I. Le Blanc, G. Griffith, and M.-C. Dokhélar

69 **Golgi structure correlates with transitional endoplasmic reticulum organization in *Pichia pastoris* and *Saccharomyces cerevisiae*.**

O.W. Rossanese, J. Soderholm, B.J. Bevis, I.B. Sears, J. O'Connor, E.K. Williamson, and B.S. Glick

83 **GMAP-210, A cis-Golgi network-associated protein, is a minus end microtubule-binding protein.**

C. Infante, F. Ramos-Morales, C. Fedriani, M. Bornens, and R.M. Rios

99 **Inhibition of caspases inhibits the release of apoptotic bodies: Bcl-2 inhibits the initiation of formation of apoptotic bodies in chemotherapeutic agent-induced apoptosis.**

J. Zhang, M.C. Reedy, Y.A. Hannun, and L.M. Obeid

109 **Direct observations of the mechanical behaviors of the cytoskeleton in living fibroblasts.**

S.R. Heidemann, S. Kaech, R.E. Buxbaum, and A. Matus

123 **The receptor recycling pathway contains two distinct populations of early endosomes with different sorting functions.**

D.R. Sheff, E.A. Daro, M. Hull, and I. Mellman

141 **The MAL proteolipid is necessary for normal apical transport and accurate sorting of the influenza virus hemagglutinin in Madin-Darby canine kidney cells.**

R. Puertollano, F. Martín-Belmonte, J. Millán, M. del Carmen de Marco, J.P. Albar, L. Kremer, and M.A. Alonso

153 **Membrane targeting and stabilization of sarcospan is mediated by the sarcoglycan subcomplex.**

R.H. Crosbie, C.S. Lebakken, K.H. Holt, D.P. Venzke, V. Straub, J.C. Lee, R.M. Grady, J.S. Chamberlain, J.R. Sanes, and K.P. Campbell

167 **Identification of a suppressor of the *Dictyostelium* profilin-minus phenotype as a CD36/LIMP-II homologue.**

I. Karakesisoglou, K.-P. Janssen, L. Eichinger, A.A. Noegel, and M. Schleicher

183 **Integrin-regulated secretion of interleukin 4: A novel pathway of mechanotransduction in human articular chondrocytes.**

S.J. Millward-Sadler, M.O. Wright, H.-S. Lee, K. Nishida, H. Caldwell, G. Nuki, and D.M. Salter

191 ***wing blister*, A new *Drosophila* laminin α chain required for cell adhesion and migration during embryonic and imaginal development.**

D. Martin, S. Zusman, X. Li, E.L. Williams, N. Khare, S. DaRocha, R. Chiquet-Ehrismann, and S. Baumgartner

Volume 145, Number 2, April 19, 1999

In Brief

Membrane specialization. Impact of telomere cap deregulation. Physical structure of mitotic chromosomes.

A.W. Dove

Regular Articles

203 **Uncapping and deregulation of telomeres lead to detrimental cellular consequences in yeast.**

C.D. Smith and E.H. Blackburn

215 **Elasticity measurements show the existence of thin rigid cores inside mitotic chromosomes.**
B. Houchmandzadeh and S. Dimitrov

225 **Phosphorylation-induced rearrangement of the histone H3 NH_2-terminal domain during mitotic chromosome condensation.**
D.M. Sauvé, H.J. Anderson, J.M. Ray, W.M. James, and M. Roberge

237 **RAE1 is a shuttling mRNA export factor that binds to a GLEBS-like NUP98 motif at the nuclear pore complex through multiple domains.**
C.E.J. Pritchard, M. Fornerod, L.H. Kasper, and J.M.A. van Deursen

255 **CRM1-mediated recycling of snurportin 1 to the cytoplasm.**
E. Paraskeva, E. Izaurralde, F.R. Bischoff, J. Huber, U. Kutay, E. Hartmann, R. Lührmann, and D. Görlich

265 **Prefoldin–nascent chain complexes in the folding of cytoskeletal proteins.**
W.J. Hansen, N.J. Cowan, and W.J. Welch

279 **Overexpression of CALNUC (nucleobindin) increases agonist and thapsigargin releasable Ca^{2+} storage in the Golgi.**
P. Lin, Y. Yao, R. Hofmeister, R.Y. Tsien, and M.G. Farquhar

291 **Mgm101p is a novel component of the mitochondrial nucleoid that binds DNA and is required for the repair of oxidatively damaged mitochondrial DNA.**
S. Meeusen, Q. Tieu, E. Wong, E. Weiss, D. Schieltz, J.R. Yates, and J. Nunnari

305 **An essential role for katanin in severing microtubules in the neuron.**
F.J. Ahmad, W. Yu, F.J. McNally, and P.W. Baas

317 **Rac homologues and compartmentalized phosphatidylinositol 4, 5-bisphosphate act in a common pathway to regulate polar pollen tube growth.**
B. Kost, E. Lemichez, P. Spielhofer, Y. Hong, K. Tolias, C. Carpenter, and N.-H. Chua

331 **Relationship between Arp2/3 complex and the barbed ends of actin filaments at the leading edge of carcinoma cells after epidermal growth factor stimulation.**
M. Bailly, F. Macaluso, M. Cammer, A. Chan, J.E. Segall, and J.S. Condeelis

347 **Phosphorylation of adducin by Rho-kinase plays a crucial role in cell motility.**
Y. Fukata, N. Oshiro, N. Kinoshita, Y. Kawano, Y. Matsuoka, V. Bennett, Y. Matsuura, and K. Kaibuchi

363 **Cellular uptake of chloroquine is dependent on binding to ferriprotoporphyrin IX and is independent of NHE activity in *Plasmodium falciparum*.**
P.G. Bray, O. Janneh, K.J. Raynes, M. Mungthin, H. Ginsburg, and S.A. Ward

377 **Dual fatty acylation of $p59^{Fyn}$ is required for association with the T cell receptor ζ chain through phosphotyrosine–Src homology domain-2 interactions.**
W. van't Hof and M.D. Resh

391 **A PDZ-containing scaffold related to the dystrophin complex at the basolateral membrane of epithelial cells.**
A.M. Kachinsky, S.C. Froehner, and S.L. Milgram

403 **Visualization of chemokine binding sites on human brain microvessels.**
A.V. Andjelkovic, D.D. Spencer, and J.S. Pachter

413 **The integrin α9β1 mediates adhesion to activated endothelial cells and transendothelial neutrophil migration through interaction with vascular cell adhesion molecule-1.**
Y. Taooka, J. Chen, T. Yednock, and D. Sheppard

Volume 145, Number 3, May 3, 1999

In Brief

Bacterial cell death. Myogenin controls muscle metabolism. Catenin as an inhibitor. Intermediate filaments and scar formation. A differential factor increases bone resorption.
W.A. Wells

Mini-Review

421 **Import(ance) of growth factors in(to) the nucleus.**
M. Keresztes and J. Boonstra

Regular Articles

425 **The maize homologue of the cell cycle checkpoint protein MAD2 reveals kinetochore substructure and contrasting mitotic and meiotic localization patterns.**
H.-G. Yu, M.G. Muszynski, and R.K. Dawe

437 **Light-dependent translocation of a phytochrome B-GFP fusion protein to the nucleus in transgenic *Arabidopsis*.**
R. Yamaguchi, M. Nakamura, N. Mochizuki, S.A. Kay, and A. Nagatani

447 **Phosphorylation regulates in vivo interaction and molecular targeting of serine/arginine-rich pre-mRNA splicing factors.**
J.M. Yeakley, H. Tronchère, J. Olesen, J.A. Dyck, H.-Y. Wang, and X.-D. Fu

457 **Trafficking of an acylated cytosolic protein: Newly synthesized p56^{lck} travels to the plasma membrane via the exocytic pathway.**
M.-J.J.E. Bijlmakers and M. Marsh

469 **Novel dendritic kinesin sorting identified by different process targeting of two related kinesins: KIF21A and KIF21B.**
J.R. Marszalek, J.A. Weiner, S.J. Farlow, J. Chun, and L.S.B. Goldstein

481 **Dynamic association of proteasomal machinery with the centrosome.**
W.C. Wigley, R.P. Fabunmi, M.G. Lee, C.R. Marino, S. Muallem, G.N. DeMartino, and P.J. Thomas

491 **UNC-60B, an ADF/cofilin family protein, is required for proper assembly of actin into myofibrils in *Caenorhabditis elegans* body wall muscle.**
S. Ono, D.L. Baillie, and G.M. Benian

503 **Abnormal reaction to central nervous system injury in mice lacking glial fibrillary acidic protein and vimentin.**
M. Pekny, C.B. Johansson, C. Eliasson, J. Stakeberg, Å. Wallén, T. Perlmann, U. Lendahl, C. Betsholtz, C.-H. Berthold, and J. Frisén

515 **Hyphal death during colony development in *Streptomyces antibioticus*: Morphological evidence for the existence of a process of cell deletion in a multicellular prokaryote.**
E.M. Miguélez, C. Hardisson, and M.B. Manzanal

527 **The ligand for osteoprotegerin (OPGL) directly activates mature osteoclasts.**
T.L. Burgess, Y.-x. Qian, S. Kaufman, B.D. Ring, G. Van, C. Capparelli, M. Kelley, H. Hsu, W.J. Boyle, C.R. Dunstan, S. Hu, and D.L. Lacey

539 **Nectin/PRR: An immunoglobulin-like cell adhesion molecule recruited to cadherin-based adherens junctions through interaction with afadin, a PDZ domain–containing protein.**
K. Takahashi, H. Nakanishi, M. Miyahara, K. Mandai, K. Satoh, A. Satoh, H. Nishioka, J. Aoki, A. Nomoto, A. Mizoguchi, and Y. Takai

551 **p120^{ctn} acts as an inhibitory regulator of cadherin function in colon carcinoma cells.**
S. Aono, S. Nakagawa, A.B. Reynolds, and M. Takeichi

563 **Mouse Ten-m/Odz is a new family of dimeric type II transmembrane proteins expressed in many tissues.**
T. Oohashi, X.-H. Zhou, K. Feng, B. Richter, M. Mörgelin, M.T. Perez, W.-D. Su, R. Chiquet-Ehrismann, U. Rauch, and R. Fässler

579 **Claudin-11/OSP-based tight junctions of myelin sheaths in brain and Sertoli cells in testis.**
K. Morita, H. Sasaki, K. Fujimoto, M. Furuse, and S. Tsukita

589 **Separation of propulsive and adhesive traction stresses in locomoting keratocytes.**
T. Oliver, M. Dembo, and K. Jacobson

605 **Characterization and expression of the laminin γ3 chain: A novel, non-basement membrane–associated, laminin chain.**
M. Koch, P.F. Olson, A. Albus, W. Jin, D.D. Hunter, W.J. Brunken, R.E. Burgeson, and M.-F. Champliaud

619 **Laminin polymerization induces a receptor–cytoskeleton network.**
H. Colognato, D.A. Winkelmann, and P.D. Yurchenco

633 **Myogenin induces a shift of enzyme activity from glycolytic to oxidative metabolism in muscles of transgenic mice.**
S.M. Hughes, M.M.-Y. Chi, O.H. Lowry, and K. Gundersen

643 ADDITIONS AND CORRECTIONS

The online version of this article contains supplemental material.

Volume 145, Number 4, May 17, 1999

In Brief

Integrin crosstalk. Mitochondrial modulation of calcium signaling. A natural apoptotic pathway in yeast. Neurite induction by a PKC regulatory domain. Spindle pole body duplication.
A.W. Dove

Regular Articles

645 **A role for RanBP1 in the release of CRM1 from the nuclear pore complex in a terminal step of nuclear export.**
R.H. Kehlenbach, A. Dickmanns, A. Kehlenbach, T. Guan, and L. Gerace

659 ***LST1* is a *SEC24* homologue used for selective export of the plasma membrane ATPase from the endoplasmic reticulum.**

K.J. Roberg, M. Crotwell, P. Espenshade, R. Gimeno, and C.A. Kaiser

673 **Fusogenic domains of Golgi membranes are sequestered into specialized regions of the stack that can be released by mechanical fragmentation.**

M. Dominguez, A. Fazel, S. Dahan, J. Lovell, L. Hermo, A. Claude, P. Melançon, and J.J.M. Bergeron

689 **Trafficking of *Shigella* lipopolysaccharide in polarized intestinal epithelial cells.**

W.L. Beatty, S. Méresse, P. Gounon, J. Davoust, J. Mounier, P.J. Sansonetti, and J.-P. Gorvel

699 **Overexpression of protein kinase C β_{II} induces colonic hyperproliferation and increased sensitivity to colon carcinogenesis.**

N.R. Murray, L.A. Davidson, R.S. Chapkin, W.C. Gustafson, D.G. Schattenberg, and A.P. Fields

713 **PKCϵ, via its regulatory domain and independently of its catalytic domain, induces neurite-like processes in neuroblastoma cells.**

R. Zeidman, B. Löfgren, S. Påhlman, and C. Larsson

727 **Changes in the balance of phosphoinositide 3-kinase/protein kinase B (Akt) and the mitogen-activated protein kinases (ERK/p38MAPK) determine a phenotype of visceral and vascular smooth muscle cells.**

K. Hayashi, M. Takahashi, K. Kimura, W. Nishida, H. Saga, and K. Sobue

741 **Domains of Axin involved in protein–protein interactions, Wnt pathway inhibition, and intracellular localization.**

F. Fagotto, E.-h. Jho, L. Zeng, T. Kurth, T. Joos, C. Kaufmann, and F. Costantini

757 **Oxygen stress: A regulator of apoptosis in yeast.**

F. Madeo, E. Fröhlich, M. Ligr, M. Grey, S.J. Sigrist, D.H. Wolf, and K.-U. Fröhlich

769 **Location and clonal analysis of stem cells and their differentiated progeny in the human ocular surface.**

G. Pellegrini, O. Golisano, P. Paterna, A. Lambiase, S. Bonini, P. Rama, and M. De Luca

783 **Parathyroid hormone–related peptide (PTHrP)-dependent and -independent effects of transforming growth factor β (TGF-β) on endochondral bone formation.**

R. Serra, A. Karaplis, and P. Sohn

795 **Mitochondria exert a negative feedback on the propagation of intracellular Ca^{2+} waves in rat cortical astrocytes.**

E. Boitier, R. Rea, and M.R. Duchen

809 **Localization of core spindle pole body (SPB) components during SPB duplication in *Saccharomyces cerevisiae*.**

I.R. Adams and J.V. Kilmartin

825 **Left-right asymmetry and kinesin superfamily protein KIF3A: New insights in determination of laterality and mesoderm induction by *kif3A*$^{-/-}$ mice analysis.**

S. Takeda, Y. Yonekawa, Y. Tanaka, Y. Okada, S. Nonaka, and N. Hirokawa

837 **p21-Activated kinase 1 (Pak1) regulates cell motility in mammalian fibroblasts.**

M.A. Sells, J.T. Boyd, and J. Chernoff

851 **Paxillin LD4 motif binds PAK and PIX through a novel 95-kD ankyrin repeat, ARF–GAP protein: A role in cytoskeletal remodeling.**

C.E. Turner, M.C. Brown, J.A. Perrotta, M.C. Riedy, S.N. Nikolopoulos, A.R. McDonald, S. Bagrodia, S. Thomas, and P.S. Leventhal

865 **Neurotractin, A novel neurite outgrowth-promoting Ig-like protein that interacts with CEPU-1 and LAMP.**

A. Marg, P. Sirim, F. Spaltmann, A. Plagge, G. Kauselmann, F. Buck, F.G. Rathjen, and T. Brümmendorf

877 **Critical role for cholesterol in Lyn-mediated tyrosine phosphorylation of FcϵRI and their association with detergent-resistant membranes.**

E.D. Sheets, D. Holowka, and B. Baird

889 **A molecular mechanism of integrin crosstalk: $\alpha_v\beta_3$ Suppression of calcium/calmodulin-dependent protein kinase II regulates $\alpha_5\beta_1$ function.**

S.D. Blystone, S.E. Slater, M.P. Williams, M.T. Crow, and E.J. Brown

899 **Sulfotransferases of two specificities function in the reconstitution of high endothelial cell ligands for L-selectin.**

A. Bistrup, S. Bhakta, J.K. Lee, Y.Y. Belov, M.D. Gunn, F.-R. Zuo, C.-C. Huang, R. Kannagi, S.D. Rosen, and S. Hemmerich

911 **Acetylcholinesterase clustering at the neuromuscular junction involves perlecan and dystroglycan.**

H.B. Peng, H. Xie, S.G. Rossi, and R.L. Rotundo

Volume 145, Number 5, May 31, 1999

In Brief

Membrane insertion without a pore. Motility driven by branched nucleation. Mitotic checkpoints. Why a synapsin mutant mouse has epilepsy.

W.A. Wells

Mini-Reviews

923 **Molecular bases for the recognition of tyrosine-based sorting signals.**

J.S. Bonifacino and E.C. Dell'Angelica

927 **Heptahelical receptor signaling: Beyond the G protein paradigm.**

R.A. Hall, R.T. Premont, and R.J. Lefkowitz

Regular Articles

933 **The unstable F-box protein p58-Ctf13 forms the structural core of the CBF3 kinetochore complex.**

I.D. Russell, A.S. Grancell, and P.K. Sorger

951 **NH_2-terminal targeting motifs direct dual specificity A-kinase–anchoring protein 1 (D-AKAP1) to either mitochondria or endoplasmic reticulum.**

L.J. Huang, L. Wang, Y. Ma, K. Durick, G. Perkins, T.J. Deerinck, M.H. Ellisman, and S.S. Taylor

961 **The J-related segment of Tim44 is essential for cell viability: A mutant Tim44 remains in the mitochondrial import site, but inefficiently recruits mtHsp70 and impairs protein translocation.**

A. Merlin, W. Voos, A.C. Maarse, M. Meijer, N. Pfanner, and J. Rassow

973 **Direct membrane insertion of voltage-dependent anion-selective channel protein catalyzed by mitochondrial Tom20.**

E. Schleiff, J.R. Silvius, and G.C. Shore

979 **Budding yeast Bub2 is localized at spindle pole bodies and activates the mitotic checkpoint via a different pathway from Mad2.**

R. Fraschini, E. Formenti, G. Lucchini, and S. Piatti

993 **Yeast Bim1p promotes the G1-specific dynamics of microtubules.**

J.S. Tirnauer, E. O'Toole, L. Berrueta, B.E. Bierer, and D. Pellman

1009 **Arp2/3 complex and actin depolymerizing factor/cofilin in dendritic organization and treadmilling of actin filament array in lamellipodia.**

T.M. Svitkina and G.G. Borisy

1027 **Cyclic expression of endothelin-converting enzyme-1 mediates the functional regulation of seminiferous tubule contraction.**

A. Tripiciano, C. Peluso, A.R. Morena, F. Palombi, M. Stefanini, E. Ziparo, M. Yanagisawa, and A. Filippini

1039 **Impairment of inhibitory synaptic transmission in mice lacking synapsin I.**

S. Terada, T. Tsujimoto, Y. Takei, T. Takahashi, and N. Hirokawa

1049 **Functions of c-Jun in liver and heart development.**

R. Eferl, M. Sibilia, F. Hilberg, A. Fuchsbichler, I. Kufferath, B. Guertl, R. Zenz, E.F. Wagner, and K. Zatloukal

1063 **The heterotrimeric protein G_o is required for the formation of heart epithelium in *Drosophila*.**

F. Frémion, M. Astier, S. Zaffran, A. Guillèn, V. Homburger, and M. Sémériva

1077 **R-Ras signals through specific integrin α cytoplasmic domains to promote migration and invasion of breast epithelial cells.**

P.J. Keely, E.V. Rusyn, A.D. Cox, and L.V. Parise

1089 **Evidence for apical endocytosis in polarized hepatic cells: Phosphoinositide 3-kinase inhibitors lead to the lysosomal accumulation of resident apical plasma membrane proteins.**

P.L. Tuma, C.M. Finnegan, J.-H. Yi, and A.L. Hubbard

1103 **Expression of the heparan sulfate proteoglycan, perlecan, during mouse embryogenesis and perlecan chondrogenic activity in vitro.**

M.M. French, S.E. Smith, K. Akanbi, T. Sanford, J. Hecht, M.C. Farach-Carson, and D.D. Carson

1117 ADDITIONS AND CORRECTIONS

Volume 145, Number 6, June 14, 1999

In Brief

Nuclear organization. Ubiquitin in mitochondrial inheritance.

A.W. Dove

Regular Articles

1119 **Differences in the localization and morphology of chromosomes in the human nucleus.**

J.A. Croft, J.M. Bridger, S. Boyle, P. Perry, P. Teague, and W.A. Bickmore

1133 **Intron-independent association of splicing factors with active genes.**
C. Jolly, C. Vourc'h, M. Robert-Nicoud, and R.I. Morimoto

1145 **Transportin-SR, A nuclear import receptor for SR proteins.**
N. Kataoka, J.L. Bachorik, and G. Dreyfuss

1153 **Chs7p, A new protein involved in the control of protein export from the endoplasmic reticulum that is specifically engaged in the regulation of chitin synthesis in *Saccharomyces cerevisiae*.**
J.A. Trilla, A. Durán, and C. Roncero

1165 **p24 Proteins and quality control of LIN-12 and GLP-1 trafficking in *Caenorhabditis elegans*.**
C. Wen and I. Greenwald

1177 **O-Glycosylation of Axl2/Bud10p by Pmt4p is required for its stability, localization, and function in daughter cells.**
S.L. Sanders, M. Gentzsch, W. Tanner, and I. Herskowitz

1189 **Isolation, cloning, and localization of rat PV-1, A novel endothelial caveolar protein.**
R.-V. Stan, L. Ghitescu, B.S. Jacobson, and G.E. Palade

1199 **A role for ubiquitination in mitochondrial inheritance in *Saccharomyces cerevisiae*.**
H.A. Fisk and M.P. Yaffe

1209 **Morphological differentiation of oligodendrocytes requires activation of Fyn tyrosine kinase.**
D.J. Osterhout, A. Wolven, R.M. Wolf, M.D. Resh, and M.V. Chao

1219 **Role of phosphorylation sites and the C2 domain in regulation of cytosolic phospholipase A_2.**
M.A. Gijón, D.M. Spencer, A.L. Kaiser, and C.C. Leslie

1233 **A cytoplasmic dynein heavy chain is required for oscillatory nuclear movement of meiotic prophase and efficient meiotic recombination in fission yeast.**
A. Yamamoto, R.R. West, J.R. McIntosh, and Y. Hiraoka

1251 **Aip1p interacts with cofilin to disassemble actin filaments.**
A.A. Rodal, J.W. Tetreault, P. Lappalainen, D.G. Drubin, and D.C. Amberg

1265 **Induction of filopodia by direct local elevation of intracellular calcium ion concentration.**
P. Lau, R.S. Zucker, and D. Bentley

1277 **A myristoylated calcium-binding protein that preferentially interacts with the Alzheimer's disease presenilin 2 protein.**
S.M. Stabler, L.L. Ostrowski, S.M. Janicki, and M.J. Monteiro

1293 **Monocyte adhesion and spreading on human endothelial cells is dependent on Rho-regulated receptor clustering.**
B. Wójciak-Stothard, L. Williams, and A.J. Ridley

1309 **Targeted disruption of the *LAMA3* gene in mice reveals abnormalities in survival and late stage differentiation of epithelial cells.**
M.C. Ryan, K. Lee, Y. Miyashita, and W.G. Carter

1325 **α-Dystroglycan is a laminin receptor involved in extracellular matrix assembly on myotubes and muscle cell viability.**
F. Montanaro, M. Lindenbaum, and S. Carbonetto

Volume 145, Number 7, June 28, 1999

In Brief

A profusion of SNAREs. Chromosome segregation. Shuttling on and off the membrane. Large-scale chromatin unfolding.
W.A. Wells

Regular Articles

1341 **Large-scale chromatin unfolding and remodeling induced by VP16 acidic activation domain.**
T. Tumbar, G. Sudlow, A.S. Belmont

1355 **Combined biochemical and electron microscopic analyses reveal the architecture of the mammalian U2 snRNP.**
A. Krämer, P. Grüter, K. Gröning, and B. Kastner

1369 **Assembly of 5S ribosomal RNA is required at a specific step of the pre-rRNA processing pathway.**
A.-M. Dechampesme, O. Koroleva, I. Leger-Silvestre, N. Gas, and S. Camier

1381 **Sli15 associates with the Ipl1 protein kinase to promote proper chromosome segregation in *Saccharomyces cerevisiae*.**
J.-h. Kim, J.-s. Kang, and C.S.M. Chan

1395 **Chromosomal influence on meiotic spindle assembly: Abnormal meiosis I in female *Mlh1* mutant mice.**
L.M. Woods, C.A. Hodges, E. Baart, S.M. Baker, M. Liskay, and P.A. Hunt

1407 **Nuclear import of the TATA-binding protein: Mediation by the karyopherin Kap114p and a possible mechanism for intranuclear targeting.**
L.F. Pemberton, J.S. Rosenblum, and G. Blobel

1419 **A complex web of signal-dependent trafficking underlies the triorganellar distribution of P-selectin in neuroendocrine PC12 cells.**
A.D. Blagoveshchenskaya, E.W. Hewitt, and D.F. Cutler

1435 **Three v-SNAREs and two t-SNAREs, present in a pentameric cis-SNARE complex on isolated vacuoles, are essential for homotypic fusion.**
C. Ungermann, G. Fischer von Mollard, O.N. Jensen, N. Margolis, T.H. Stevens, and W. Wickner

1443 **Molecular characterization of caveolin association with the Golgi complex: Identification of a cis-Golgi targeting domain in the caveolin molecule.**
R. Luetterforst, E. Stang, N. Zorzi, A. Carozzi, M. Way, and R.G. Parton

1461 **Integrin-mediated activation of focal adhesion kinase is required for signaling to Jun NH_2-terminal kinase and progression through the G1 phase of the cell cycle.**
M. Oktay, K.K. Wary, M. Dans, R.B. Birge, and F.G. Giancotti

1471 **The zinc finger protein A20 inhibits TNF-induced NF-κB–dependent gene expression by interfering with an RIP- or TRAF2-mediated transactivation signal and directly binds to a novel NF-κB–inhibiting protein ABIN.**
K. Heyninck, D. De Valck, W. Vanden Berghe, W. Van Criekinge, R. Contreras, W. Fiers, G. Haegeman, and R. Beyaert

1483 **Thin filament protein dynamics in fully differentiated adult cardiac myocytes: Toward a model of sarcomere maintenance.**
D.E. Michele, F.P. Albayya, and J.M. Metzger

1497 **Direct involvement of ezrin/radixin/moesin (ERM)-binding membrane proteins in the organization of microvilli in collaboration with activated ERM proteins.**
S. Yonemura, S. Tsukita, and S. Tsukita

1511 **The dynamics of protein kinase B regulation during B cell antigen receptor engagement.**
E. Astoul, S. Watton, and D. Cantrell

1521 ADDITIONS AND CORRECTIONS

1523 ADDITIONS AND CORRECTIONS

1525 AUTHOR INDEX FOR VOLUME 145

1535 SUBJECT INDEX FOR VOLUME 145